


TUNING FORK DENSITY TOOL - HD - 1 11/16 IN.



SKU: TFD001

Categories: [Cased Hole Wireline](#), [Fluid Density](#), [HD Platform™](#), [Production Logging](#)

PRODUCT DESCRIPTION

The Tuning Fork Density Tool (TFD001) is an HD Platform non-radioactive fluid identification tool that is not affected by well inclination. It provides an industry-standard Fluid Density measurement based on vibrating fork technology.

Optimized for either pure gas or oil-water environments, it can also function as a useful free gas indicator.

Ratings & Dimensions

Max Temperature	350°F (177°C)
Max Pressure	15,000 psi (103.4 mPa)
Diameter	1.69 in (43.0 mm)
Length	30.27 in (769.0 mm)
Weight	9.5 lb (4.3 kg)
Tensile Strength	15,000.0 lbf (6,803.9 kgf)
Measure Point	6.9 in (175.0 mm) from bottom of tool
Materials	Corrosion resistant materials used throughout

Measurements

Sensor	Acoustic
Range	0 to 1.25 g/cc or better
Accuracy	+/-0.03 g/cc or better
Resolution	0.03 g/cc
Response Time	< 1 second

Hardware Characteristics

Combinability	All HD tools: GR, CCL, iQ, RADii, RAS, PLT
Tool Positioning	Centralized

Acquisition Mode Real-time (with TCU)

Memory (with MLT)

Electrical Specification

Voltage

50V DC

19V DC

Current

20 mA

50 mA

Version Control: 2021.11.17

On-line specifications are for REFERENCE ONLY and subject to change without notice. DO NOT USE FOR FIELD OPERATIONS.