


ARRAY GAS HOLD UP TOOL - HD - 1 11/16 IN.



SKU: AGH001

Categories: [Array Production Logging](#), [Cased Hole Wireline](#), [HD Platform™](#), [Production Logging](#)

PRODUCT DESCRIPTION

The Array Gas Hold Up Tool (AGH001) is a 6 sensor Optical Array Gas Hold Up tool. Both gas hold up and bubble count are provided by each sensor.

The opening diameter can be restricted to avoid contamination from debris on the casing wall and to help avoid damage in open hole. Adjustment is continuous and any diameter can be set.

The AGH can be combined with the RAS, PL and Array (Capacitance, Resistance, Fluid Velocity) and is supported in SRO and memory modes.

Ratings & Dimensions

Max temperature	302°F (150°C)
Max pressure	15,000 psi (103.4 mPa)
Outer diameter	1.69 in (43.0 mm)
Length	45.5 in (1155.7 mm)
Weight	15.43 lb (7.0 kg)
Materials	Corrosion resistant materials used throughout

Sensor Specifications

Range	Adjustable up to 7"
Measure points	16.0in (406.4 mm)

Hardware Characteristics

Combinability	All HD tools (RADii, iQ, PL, RAS, etc)	
Acquisition Mode	Real-time (with TCU)	Memory (with MLT)

Electrical Specifications

Current

12mA @ 50V

26mA @ 19V

Version Control: 2021.11.17

On-line specifications are for REFERENCE ONLY and subject to change without notice. DO NOT USE FOR FIELD OPERATIONS.